

Trailer Wheels 8" - 9"

Rims Only

Item Code	Type	Size	Colour	Model	PCD	CB	Offset	Max Load
8RIMIH/A-C	Alloy	8X3.0D	NATURAL	INTEGRAL	N/A	N/A	10N	375KG
8RIMIH/A	Alloy	8X3.0D	NATURAL	INTEGRAL	N/A	N/A	10N	375KG
8RIMHT/A	Alloy	8X3.0D	NATURAL	HOLDEN HT	5X107.95	84	10N	375KG
9RIMHT/A	Alloy	9X4.5A	NATURAL	HOLDEN HT	5X107.95	84	11N	650KG
9RIMHT/AW	Alloy	9X4.5A	WHITE	HOLDEN HT	5X107.95	84	11N	650KG



Wheels Complete With Tyre And Tube

Item Code	Type	Size	Colour	PCD	CB	Offset	Max Load
4.8/4.0X8/6P/AIH-C	Alloy	8X3.0D	NATURAL	INTEGRAL (INC. BEARING KIT)	N/A	10N	345KG
4.8/4.0X8/6P/AIH	Alloy	8X3.0D	NATURAL	INTEGRAL (CUPS ONLY)	N/A	10N	345KG
4.8/4.0X8/6P/AHT	Alloy	8X3.0D	NATURAL	HT - 5X107.95	84	10N	345KG
6.9/6.00X9/6P/AHT	Alloy	9X4.5A	NATURAL	HT - 5X107.95	84	10N	500KG



Tyres only

Item Code	Size	Tread	Speed Index	PLY Rating	Max Load
4.8/4.0X8/6P	8"	HIGHWAY	62m	4 PLY TUBE TYRE	265KG
4.80/4.00-8(6)HWY	8"	HIGHWAY	62m	4 PLY TYRE AND TUBE	265KG
4.80/4.00-8/6P	8"	HIGHWAY	62m	6 PLY TYRE (NOT TUBELESS)	345KG
6.90/6.00-9(6)HWY	9"	HIGHWAY	84m	6 PLY	500KG
6.90/6.00-9(10)HWY	9"	HIGHWAY	95m	10 PLY	690KG




Tubes only

Item Code	Size	Tread
4.00-8TUBE	8"	TUBE
6.00-9TUBE	9"	TUBE



IMPORTANT: All **PLY Rating Max Load & Speed Index** info is approximate only as ratings can change between brands. Please contact us to check current stock ratings.



You can measure from centre to centre or from outside edge to inside edge to get PCD.

	STUD NUMBER	STUD TO STUD	PCD	
Mini	4	71mm	101.6mm	4"
Datsun	4	80mm	114.30mm	4 1/2"
HT	5	63mm	107.95mm	4 1/4"
HQ	5	71mm	120.65mm	4 3/4"
Commodore	5	70mm	120mm	
Ford	5	67mm	114.30mm	4 1/2"
TL5	5	88.5mm	150mm	
TL6	6	69mm	139.70mm	5 1/2"
F100	5	84mm	139.70mm	5 1/2"

Trailer Wheels 10"

Rim Only

Item Code	Type	Size	Colour	Model	PCD	CB	Offset	Max Load
10RIMIH/A-C	Alloy	10X3.5B	NATURAL	INTEGRAL (INC. BEARING KIT)	N/A	N/A	6N	550KG
10RIMIH/A	Alloy	10X3.5B	NATURAL	INTEGRAL	N/A	N/A	6N	550KG
10RIMHT/A	Alloy	10X3.5B	NATURAL	HOLDEN HT	5X107.95	84	6N	550KG
10RIMHT/AW	Alloy	10X3.5B	WHITE	HOLDEN HT	5X107.95	84	6N	550KG
10RIMMI/A	Alloy	10X3.5B	NATURAL	MINI	4X101.6	84	6N	550KG
10X4.5RIMF/HTG	Steel	10X4.5	Galv	FORD/HOLDEN HT MULTI	5X114.3 - 5X107.95	75	0	400KG



Rim & Tyre Fitted (Steel Wheels)

Item Code	Size	Tyre Size	Colour	Model	PCD	CB	Offset	Max Load
5.00X10/6P/G/HTF	10X4	5.00X10(8)HWY	GALV	FORD HT MULTI	5X114.3 - 5X107.95	75	0	400KG



Alloy Wheels Complete With Tyre And Tube

Item Code	Size	Colour	PCD	CB	Offset	Max Load
5.00X10/8P/AIH	10"	NATURAL	INTEGRAL- CUPS ONLY	N/A	6N	550KG
5.00X10/8P/AIH-C	10"	NATURAL	INTEGRAL-INC HOLDEN BEARING KIT	N/A	6N	550KG
5.00X10/8P/AHT	10"	NATURAL	HT - 5X107.95	75	6N	550KG
5.00X10/8P/AMI	10"	NATURAL	MINI - 4X101.6	63	6N	550KG




Tyres Only

Item Code	Size	Style	Tread	Speed Index	PLY Rating	Max Load
5.00-10TUBE	10"	TUBE	TUBE	79N	8 PLY	500KG
5.00-10(8)HWY	10"	TUBE	HIGHWAY	79N	8 PLY	500KG



IMPORTANT: All **PLY Rating Max Load & Speed Index** info is approximate only as ratings can change between brands. Please contact us to check current stock ratings.



Trailer Wheels 13"

Rim Only

Item Code	Type	Size	Colour	Model	PCD	CB	Offset	Max Load
13RIMF/AS	Alloy	13X5.0JJ	SILVER	FORD	5X114.3	67	10P	830KG
13RIMF/AW	Alloy	13X5.0JJ	WHITE	FORD	5X114.3	67	10P	830KG
13RIMHT/AS	Alloy	13X5.0JJ	SILVER	HT	5X107.95	65	10P	830KG
13RIMHT/AW	Alloy	13X5.0JJ	WHITE	HT	5X107.95	65	10P	830KG
13RIMHT/A	Alloy	13X5.0JJ	NATURAL	HT	5X107.95	65	10P	830KG
13RIMF/A	Alloy	13X5.0JJ	NATURAL	FORD	5X114.3	75	10P	830KG
13X4.5RIMF/G	Steel	13X4.5	GALV	FORD	5X 114.3	84	0	750KG
13X4.5RIMF/W	Steel	13X4.5	WHITE	FORD	5X 114.3	84	0	750KG
13X4.5RIMF/HTG	Steel	13X4.5	GALV	FORD HT MULTI	5X 114.3 - 5X107.95	75	0	750KG
13X4.5RIMF/HTW	Steel	13X4.5	WHITE	FORD HT MULTI	5X 114.3 - 5X107.95	75	0	750KG



Rim & Tyre Fitted (Steel Wheels)

Item Code	Size	Tyre Size	Colour	Model	PCD	CB	Offset	Max Load
13X4.5/155R/G/F	13X4.5	155R13LT	GALV	FORD	5X114.3	84	0	600KG
13X4.5/155R/W/F	13X4.5	155R13LT	WHITE	FORD	5X114.3	84	0	600KG
13X4.5/155R/G/M	13X4.5	155R13LT	GALV	FORD HT MULTI	5X114.3 - 5X107.95	84	0	600KG
13X4.5/155R/W/M	13X4.5	155R13LT	WHITE	FORD HT MULTI	5X114.3 - 5X107.95	84	0	600KG
13X4.5/175R/G/F	13X4.5	175R13LT	GALV	FORD	5X114.3	84	0	730KG
13X4.5/175R/G/M	13X4.5	175R13LT	GALV	FORD HT MULTI	5X114.3 - 5X107.95	84	0	730KG
13X4.5/175R/W/M	13X4.5	175R13LT	WHITE	FORD HT MULTI	5X114.3 - 5X107.95 - MULTI	84	0	730KG
13X4.5/175R/W/F	13X4.5	175R13LT	WHITE	FORD	5X114.3 - 5X107.95 - MULTI	84	0	730KG



Tyres Only

Item Code	Size	Style	Tread	Speed Index	PLY Rating	Max Load
155R13C	13"	LIGHT TRUCK	HIGHWAY	140km/h	8 PLY	600KG
175R13LT	13"	LIGHT TRUCK	HIGHWAY	160km/h	8 PLY	730KG



IMPORTANT: All **PLY Rating Max Load & Speed Index** info is approximate only as ratings can change between brands. Please contact us to check current stock ratings.

Steel Trailer Wheels 14"

Rim Only

Item Code	Type	Size	Colour	Model	PCD	CB	Offset	Max Load
14X5RIMF/B	Steel	14X5	BLACK	FORD	5X114.3	84	13P	850KG
14X6RIMCD/G	Steel	14X6	GALV	COMMODORE	5X120	84	14P	850KG
14X6RIMCD/W	Steel	14X6	WHITE	COMMODORE	5X120	84	14P	850KG
14X6RIMCD/B	Steel	14X6	BLACK	COMMODORE	5X120	84	14P	850KG
14X6RIMF/W	Steel	14X6	WHITE	FORD	5X114.3	84	14P	850KG
14X6RIMF/B	Steel	14X6	BLACK	FORD	5X114.3	84	14P	850KG
14X6RIMF/G	Steel	14X6	GALV	FORD	5X114.3	84	14P	850KG
14X6RIMF/W-950KG	Steel	14X6	WHITE	FORD	5X114.3	84	14P	950KG
14X6RIMF/W-ZERO	Steel	14X6	WHITE	FORD	5X114.3	84	0	850KG
14X6RIMLC6/W-950KG	Steel	14X6	WHITE	LANDCRUISER	6X139.7	110	14P	950KG
14X6RIMHT/W	Steel	14X6	WHITE	HOLDEN HT	5X107.95	75	14P	850KG
14X6RIMHT/B	Steel	14X6	BLACK	HOLDEN HT	5X107.95	75	14P	850KG
14X6RIMHT/G	Steel	14X6	GALV	HOLDEN HT	5X107.95	75	14P	850KG
14X6RIMHQ/B	Steel	14X6	BLACK	HOLDEN HQ	5X120.65	84	14P	850KG
14X6RIMHQ/W	Steel	14X6	WHITE	HOLDEN HQ	5X120.65	84	14P	850KG
14X6RIMHQ/G	Steel	14X6	GALV	HOLDEN HQ	5X120.65	84	14P	850KG
14X6RIMLC6/W	Steel	14X6	WHITE	LANDCRUISER	6X139.7	110	14P	850KG
14X6RIMLC6/B	Steel	14X6	BLACK	LANDCRUISER	6X139.7	110	14P	850KG
14X6RIMLC6/G	Steel	14X6	GALV	LANDCRUISER	6X139.7	110	14P	850KG



Alloy Trailer Wheels 14"

Item Code	Type	Size	Colour	Model	PCD	CB	Offset	Max Load
14RIMF/AS	Alloy	14X6.0JJ	SILVER	FORD	5X114.3	84	10P	1050KG
14RIMF/AW-TX1	Alloy	14X6.0JJ	WHITE	FORD	5X114.3	84	10P	1050KG
14RIMHT/AS	Alloy	14X6.0JJ	SILVER	HOLDEN HT	5X107.95	75	10P	1050KG
14RIMHT/AW	Alloy	14X6.0JJ	WHITE	HOLDEN HT	5X107.95	75	10P	1050KG
14RIMLC6/AS-TX1	Alloy	14X6.0JJ	SILVER	LANDCRUISER	6X139.7	110	10P	1050KG
14RIMLC6/AW-TX1	Alloy	14X6.0JJ	WHITE	LANDCRUISER	6X139.7	110	10P	1050KG
14RIMHT/A	Alloy	14X6.0JJ	NATURAL	HOLDEN HT	5X107.95	75	10P	1050KG
14RIMF/A	Alloy	14X6.0JJ	NATURAL	FORD	5X114.3	84	10P	1050KG
14RIMF/AB-TX2	Alloy	14X6.0JJ	BLACK	FORD	5X114.3	84	10P	1050KG
14RIMF/AS-TX2	Alloy	14X6.0JJ	SILVER	FORD	5X114.3	84	10P	1050KG
14RIMF/ASMF-TX2	Alloy	14X6.0JJ	SILVER MACHINE FACE	FORD	5X114.3	84	10P	1050KG
14RIMF/AW-TX2	Alloy	14X6.0JJ	WHITE	FORD	5X114.3	84	10P	1050KG
14RIMLC6/A-TX1	Alloy	14X6.0JJ	NATURAL	LANDCRUISER	6X139.7	110	10P	1050KG



IMPORTANT: All **PLY Ratin Max Load & Speed Index** info is approximate only as ratings can change between brands. Please contact us to check current stock ratings.

Steel Trailer Wheels 14"

Rim & Tyre Fitted

Item Code	Size	Tyre Size	Colour	Model	PCR	CB	Offset	Max Load
14X6/185R/G/F	14X6	185R14LT	GALV	FORD	5X 114.3	84	14P	850KG
14X6/185R/W/F	14X6	185R14LT	WHITE	FORD	5X 114.3	84	14P	850KG
14X6/185R/B/F	14X6	185R14LT	BLACK	FORD	5X 114.3	84	14P	850KG
14X6/195R/W/F	14X6	195R14LT	WHITE	FORD	5X 114.3	84	14P	950KG
14X6/195R/B/F	14X6	195R14LT	BLACK	FORD	5X 114.3	84	14P	950KG
14X6/185R/W/F-ZERO	14X6	185R14LT	WHITE	FORD	5X 114.3	84	0	850KG
14X6/185R/W/HT	14X6	185R14LT	WHITE	HOLDEN HT	5X107.95	75	14P	850KG
14X6/185R/G/HT	14X6	185R14LT	GALV	HOLDEN HT	5X107.95	75	14P	850KG
14X6/185R/B/HT	14X6	185R14LT	BLACK	HOLDEN HT	5X107.95	75	14P	850KG
14X6/185R/W/HQ	14X6	185R14LT	WHITE	HOLDEN HQ	5X120.65	84	14P	850KG
14X6/185R/B/HQ	14X6	185R14LT	BLACK	HOLDEN HQ	5X120.65	84	14P	850KG
14X6/185R/G/HQ	14X6	185R14LT	GALV	HOLDEN HQ	5X120.65	84	14P	850KG
14X6/185R/B/HQ	14X6	185R14LT	BLACK	HOLDEN HQ	5X120.65	84	14P	850KG
14X6/185R/W/CD	14X6	185R14LT	WHITE	COMMODORE	5X120	84	14P	850KG
14X6/185R/B/CD	14X6	185R14LT	BLACK	COMMODORE	5X120	84	14P	850KG
14X6/185R/G/CD	14X6	185R14LT	GALV	COMMODORE	5X120	84	14P	850KG
14X6/185R/B/LC6	14X6	185R14LT	BLACK	LANDCRUISER	6X139.7	110	14P	850KG
14X6/185R/W/LC	14X6	185R14LT	WHITE	LANDCRUISER	6X139.7	110	14P	850KG
14X6/185R/G/LC	14X6	185R14LT	GALV	LANDCRUISER	6X139.7	110	14P	850KG
14X6/195R/B/LC	14X6	195R14LT	BLACK	LANDCRUISER	6X139.7	110	14P	950KG
14X6/195R/W/LC	14X6	195R14LT	WHITE	LANDCRUISER	6X139.7	110	14P	950KG
14X6/195R/G/LC	14X6	195R14LT	WHITE	LANDCRUISER	6X139.7	110	14P	950KG



Tyre Only

Item Code	Size	Style	Tread	Speed Index	PLY Rating	Max Load
185R14LT	14"	LIGHT TRUCK	HIGHWAY	160km/h	8 PLY	850KG
195R14LT	14"	LIGHT TRUCK	HIGHWAY	160km/h	8 PLY	950KG



IMPORTANT: All **PLY Rating Max Load & Speed Index** info is approximate only as ratings can change between brands. Please contact us to check current stock ratings.

Steel Trailer Wheels 15"

Rim Only

Item Code	Size	Colour	Model	PCD	CB	Offset	Max Load
15X6RIMLC6/G	15X6	WHITE	LANDCRUISER	6X139.7	110	0	1200KG
15X6RIMLC6/W	15X6	WHITE	LANDCRUISER	6X139.7	110	0	1200KG
15X7RIMF5/W	15X7	WHITE	FORD	5X114.3	84	0	1200KG
15X7RIMLC6/B	15X7	BLACK	LANDCRUISER	6X139.7	110	0	1200KG
15X7RIMLC6/G	15X7	GALV	LANDCRUISER	6X139.7	110	0	1200KG
15X7RIMLC6/W	15X7	WHITE	LANDCRUISER	6X139.7	110	0	1200KG



Rim & Tyre Fitted

Item Code	Size	Tyre Size	Colour	Model	PCD	CB	Offset	Max Load
15X6/LT195R15/W/F	15X6	LT195/70R15	WHITE	FORD	5X114.3	110	0	900KG
15X7/LT215R15/W/F	15X7	LT215/75R15	WHITE	FORD	5X114.3	110	0	800KG
15X7/LT235R15/W/F	15X7	235/75R15LT	WHITE	FORD	5X114.3	110	0	900KG
15X7/LT235R15/B/F	15X7	235/75R15LT	BLACK	FORD	5X114.3	110	0	900KG
15X7/OR235R15/W/F	15X7	235/70R15LT-OR	WHITE	FORD	5X114.3	110	0	900KG
15X7/LT235R1510P/W/F	15X7	235/75R15LT10P	WHITE	FORD	5X114.3	110	0	1250KG
15X6/LT195R15/W/LC	15X6	LT195/70R15	WHITE	LANDCRUISER	6X139.7	110	0	900KG
15X6/LT215R15/W/LC	15X6	LT215/75R15	WHITE	LANDCRUISER	6X139.7	110	0	900KG
15X7/LT195R15/W/LC	15X7	LT195/70R15	WHITE	LANDCRUISER	6X139.7	110	0	900KG
15X7/OR235R15/B/LC	15X7	235/75R15LT-OR	BLACK	LANDCRUISER	6X139.7	110	0	900KG
15X7/LT195R15/B/LC	15X7	LT195/70R15	BLACK	LANDCRUISER	6X139.7	110	0	900KG
15X7/LT195R15/G/LC	15X7	LT195/70R15	GALV	LANDCRUISER	6X139.7	110	0	900KG
15X7/LT215R15/GLC	15X7	LT215/75R15	GALV	LANDCRUISER	6X139.7	110	0	800KG
15X7/LT215R15/W/LC	15X7	LT215/75R15	WHITE	LANDCRUISER	6X139.7	110	0	800KG
15X7/LT215R15/B/LC	15X7	LT215/75R15	BLACK	LANDCRUISER	6X139.7	110	0	800KG
15X7/LT225R15/B/LC	15X7	225/70R15LT	BLACK	LANDCRUISER	6X139.7	110	0	1120KG
15X7/LT235R1510P/B/LC	15X7	235/75R15LT/10P	BLACK	LANDCRUISER	6X139.7	110	0	1250KG
15X7/LT235R1510P/G/LC	15X7	235/75R15LT/10P	GALV	LANDCRUISER	6X139.7	110	0	1250KG
15X7/LT225R15/W/LC6	15X7	LT225/70R15	WHITE	LANDCRUISER	6X139.7	110	0	1000KG
15X7/LT235R15/G/LC6	15X7	235/75R15LT	GALV	LANDCRUISER	6X139.7	110	0	900KG
15X7/LT235R15/W/LC6	15X7	235/75R15LT	WHITE	LANDCRUISER	6X139.7	110	0	900KG
15X7/LT235R15/B/LC6	15X7	235/75R15LT	BLACK	LANDCRUISER	6X139.7	110	0	900KG
15X7/OR235R15/G/LC6	15X7	235/75R15LT-OR	GALV	LANDCRUISER	6X139.7	110	0	900KG
15X7/OR235R15/W/LC6	15X7	235/75R15LT-OR	WHITE	LANDCRUISER	6X139.7	110	0	900KG
15X7/LT235R1510P/W/LC6	15X7	235/75R15LT/10P	WHITE	LANDCRUISER	6X139.7	110	0	1250KG



Tyres Only

Item Code	Tyre Size	Style	Tread	Speed Index	PLY Rating	Max Load
235/75R15LT	15"	LIGHT TRUCK	ALL-TERRAIN	160km/h	6 PLY	900KG
235/75R15LT-OR	15"	LIGHT TRUCK	OFF-ROAD	180km/h	6 PLY	900KG
235/75R15LT/10P	15"	LIGHT TRUCK	ALL-TERRAIN	160km/h	10 PLY	1250KG
225/75R15LT	15"	LIGHT TRUCK	ALL-TERRAIN	180km/h	6 PLY	1060KG



IMPORTANT: All **PLY Rating Max Load & Speed Index** info is approximate only as ratings can change between brands. Please contact us to check current stock ratings.

Steel Trailer Wheels 16"

Rim Only

Item Code	Size	Colour	Model	PCD	CB	Offset	Max Load
16X7RIMHQ/W	16X7	WHITE	HOLDEN HQ	5X120.65	84	0	1200KG
16X7RIMLC5/W	16X7	WHITE	LANDCRUISER	5X150	112	0	1200KG
16X7RIMLC6/W	16X7	WHITE	LANDCRUISER	6X139.7	110	0	1200KG
16X7RIMLC6/B	16X7	BLACK	LANDCRUISER	6X139.7	110	0	1200KG
16X7RIMLC5/B	16X7	BLACK	LANDCRUISER	6X139.7	112	0	1200KG



Rim & Tyre Fitted

Item Code	Size	Tyre Size	Colour	Model	PCD	CB	Offset	max load
16X7/LT215R16/B/LC	16X7	215/75R16LT	BLACK	LANDCRUISER	6X139.7	110	0	800KG
16X7/LT245R16/W/LC6	16X7	245/75R16LT	WHITE	LANDCRUISER	6X139.7	110	0	1400KG
16X7/LT245R16/W/LC5	16X7	245/75R16LT	WHITE	LANDCRUISER	5X150	112	0	1400KG
16X7/OR245R16/W/LC6	16X7	245/75R16LT-OR	WHITE	LANDCRUISER	6X139.7	110	0	1400KG
16X7/OR245R16/W/LC5	16X7	245/75R16LT-OR	WHITE	LANDCRUISER	5X150	112	0	1400KG
16X7/LT245R16/B/LC	16X7	245/75R16LT	BLACK	LANDCRUISER	6X139.7	110	0	1400KG
16X7/LT245R16/B/LC5	16X7	245/75R16LT	BLACK	LANDCRUISER	5X150	112	0	1400KG
16X7/OR245R16/B/LC	16X7	245/75R16LT-OR	BLACK	LANDCRUISER	6X139.7	110	0	1400KG
16X7/OR245R16/B/LC5	16X7	245/75R16LT-OR	BLACK	LANDCRUISER	5X150	112	0	1400KG



Tyres Only

Item Code	Tyre Size	Style	Tread	Speed index	PLY Rating	Max Load
215/75R16LT	16"	LIGHT TRUCK	ALL-TERRAIN	180km/h	6 PLY	800KG
225/75R16LT	16"	LIGHT TRUCK	ALL-TERRAIN	180km/h	6 PLY	1060KG
245/75R16LT	16"	LIGHT TRUCK	ALL-TERRAIN	160km/h	10 PLY	1400KG
265/75R16LT	16"	LIGHT TRUCK	ALL-TERRAIN	180km/h	10 PLY	1550KG



IMPORTANT: All **PLY Rating Max Load & Speed Index** info is approximate only as ratings can change between brands. Please contact us to check current stock ratings.



Ask for bulk pallet pricing




MPTC
Portable Trailer Wheel
Tyre Changer

Mudguards


Steel Mudguards - Single Axle

Item Code	Description	Suits	Finish	Width	Length	Height	A	B	C	D	E
MGS8Z	8" Single Axle Mudguard - 4 Fold	10" - 13" Wheels	Smooth - Zinc	200mm	740mm	300mm	270mm	180mm	270mm	180mm	190mm
MGS8G	8" Single Axle Mudguard - 4 Fold	10" - 13" Wheels	Smooth - Galv	200mm	740mm	300mm	270mm	180mm	270mm	180mm	190mm
MGSB200X695	8" Single Axle Mudguard - 4 Fold	10" - 13" Wheels	Smooth - Black	200mm	695mm	310mm	180mm	180mm	250mm	200mm	180mm
MGSZ200X695	8" Single Axle Mudguard - 4 Fold	10" - 13" Wheels	Smooth - Zinc	200mm	695mm	310mm	180mm	180mm	250mm	200mm	180mm
MGSB200X850	8" Single Axle Mudguard - 4 Fold	13" - 14" Wheels	Smooth - Black	200mm	850mm	340mm	150mm	200mm	370mm	190mm	240mm
MGSZ230X850	9" Single Axle Mudguard - 4 Fold	13" - 14" Wheels	Smooth - Galv	230mm	850mm	340mm	150mm	200mm	370mm	190mm	240mm
MGSC255X850	10" Single Axle Mudguard - 4 Fold	13" - 14" Wheels	Checker - Black	255mm	850mm	340mm	150mm	200mm	370mm	190mm	240mm
MGSZ255X850	10" Single Axle Mudguard - 4 Fold	13" - 14" Wheels	Smooth - Galv	255mm	850mm	340mm	150mm	200mm	370mm	190mm	240mm
MGSB255X850	10" Single Axle Mudguard - 4 Fold	13" - 14" Wheels	Smooth - Black	255mm	850mm	340mm	150mm	200mm	370mm	190mm	240mm
MGSC280X980	11" Single Axle Mudguard - 4 Fold	15" - 16" Wheels	Checker - Black	280mm	980mm	490mm	300mm	200mm	390mm	230mm	370mm
MGS10B2F	10" Single Axle Mudguard - 2 Fold	13" - 14" Wheels	Smooth - Black	255mm	880mm	360mm	290mm	370mm	470mm	N/A	N/A
MGS10G2F	10" Single Axle Mudguard - 2 Fold	13" - 14" Wheels	Smooth - Galv	255mm	880mm	360mm	290mm	370mm	470mm	N/A	N/A

4 FOLD




2 FOLD



Steel Mudguards - Tandem & Tri Axle

Item Code	Description	Suits	Finish	Width	Length	Height	A	B	C	D	E
MGTZ230X1720	9" Tandem Axle Mudguard - 4 Fold	14" - 15" Wheels	Smooth - Zinc	230mm	1720mm	465mm	200mm	260mm	1210mm	260mm	290mm
MGTG230X1720	9" Tandem Axle Mudguard - 4 Fold	14" - 15" Wheels	Smooth - Galv	230mm	1720mm	465mm	200mm	260mm	1210mm	260mm	290mm
MGTC230X1720	9" Tandem Axle Mudguard - 4 Fold	14" - 15" Wheels	Checker - Black	230mm	1720mm	465mm	200mm	260mm	1210mm	260mm	290mm
MGTC230X1560	9" Tandem Axle Mudguard - 4 Fold	14" - 15" Wheels	Checker - Black	230mm	1560mm	465mm	200mm	260mm	1040mm	260mm	290mm
MGTC280X1560	11" Tandem Axle Mudguard - 4 Fold	14" - 15" Wheels	Checker - Black	280mm	1560mm	465mm	200mm	260mm	1040mm	260mm	290mm
MGTB280X1560	11" Tandem Axle Mudguard - 4 Fold	14" - 15" Wheels	Smooth - Black	280mm	1560mm	465mm	200mm	260mm	1040mm	260mm	290mm
MGTC280X1870	11" Tandem Axle Mudguard - 4 Fold	15" - 16" Wheels	Checker - Black	280mm	1870mm	480mm	200mm	260mm	1330mm	260mm	290mm
MGTRC255X2700	10" Tri Axle Mudguard - 4 Fold	15" - 16" Wheels	Checker - Black	255mm	2700mm	475mm	200mm	260mm	2200mm	260mm	290mm



Wheel Accessories

<p>MWN716</p>  <p>Zinc 7/16" Wheel Nut</p>	<p>MWN12</p>  <p>Zinc 1/2" Wheel Nut</p>	<p>MWN916</p>  <p>Zinc 9/16" Wheel Nut</p>	<p>MWN716-C Chrome Wheel Nut 7/16" 34mm Long</p>  <p>19mm Socket</p>	<p>MWN12-C Chrome Wheel Nut 1/2" 34mm Long</p>  <p>19mm Socket</p>	<p>MWN12-B</p>  <p>Black Wheel Nuts 1/2 Inch 35mm Long</p>
<p>MSNS12-C</p>  <p>Chrome 1/2 Spline Nut</p>	<p>MSNS12-C</p>  <p>1/2" Spline Nut Set</p>	<p>MLNS716</p>  <p>Chrome 7/16" Lock Nut Set 19mm & 21mm</p>	<p>MLNS12</p>  <p>Chrome 1/2" Lock Nut Set 19mm & 21mm</p>	<p>MLWS12-LIK</p>  <p>1/2 Inch Lock Nut Set Long Internal Key</p>	
<p>MSNK Spline Drive Key Multi-Socket Type C</p>  <p>17-19-21mm</p>	<p>MWSN14MM Chrome M14x1.5mm Open Spline Nut</p>  <p>Spline Drive</p>	<p>MWS14MM</p>  <p>14mm x 1.5 x 47 Black Stud</p>	<p>TR413SSTV</p>  <p>Short Stem Tubeless Valve</p>	<p>TR413SSTV-C</p>  <p>Short Stem Tubeless Valve - Chrome</p>	
<p>MDS-M</p>  <p>Small Decal (Magnum)</p>	<p>MPIFPCAP-60MM</p>  <p>Push in small flat chrome plastic cap (ICW Decal)</p>	<p>MDL-P</p>  <p>Decal Large (Performance)</p>	<p>MDS-SL</p>  <p>Decal Small (Superlite)</p>	<p>MPIFPCAP-60ND</p>  <p>Fit Plastic Push In Cap (No Decal)</p>	
<p>MPISRCAP-68MM Suits 14"</p>  <p>Push in small round chrome plastic cap (No Decal)</p>	<p>MCC84MM</p>  <p>Chrome Steel Cap 84mm</p>	<p>MPIHEXCAP-78MM</p>  <p>Push in hex chrome plastic cap (No Decal)</p>	<p>MPCC110MM</p>  <p>Chrome Plastic Cap 110mm (No Decal)</p>	<p>MCC110MM</p>  <p>Chrome Steel Cap 110mm</p>	
<p>PWOCAP/HT60 60mm Overcap</p> <p>← 60mm →</p>  <p>5X107.95 PCD</p>	<p>PWOCAP/HT80 80mm Overcap</p> <p>← 80mm →</p>  <p>5X107.95 PCD</p>	<p>PWOCAP/BMW60 60mm Overcap</p> <p>← 60mm →</p>  <p>4X100mm PCD</p>	<p>PWOCAP/FORD70 70mm Overcap</p> <p>← 70mm →</p>  <p>5X114.3 PCD</p>	<p>PWOCAP/FORD70V2 70mm Overcap</p> <p>← 70mm →</p>  <p>5X114.3 PCD</p>	